

The latex-lab-mathpkg code^{*}

L^AT_EX Project

September 24, 2025

Abstract

Contents

1	Introduction	1
2	The Implementation	1
2.1	File declaration	1
2.2	breqn	1
2.3	cases	2
2.4	bm	2
2.5	amsmath timing	2
2.6	Wrapper files for testphase key	2
	Index	3

1 Introduction

This file implements adaptations to various math packages needed for the tagging project.

2 The Implementation

¹ `<@@=math>`

² `<*kernel>`

2.1 File declaration

³ `\ProvidesFile{latex-lab-mathpkg.ltx}`

⁴ `[2025-06-20 v0.1c mathpkg adaptations]`

2.2 breqn

⁵ `\AddToHook{package/breqn/after}{`

⁶ `\RegisterMathEnvironment{dmath}`

⁷ `\RegisterMathEnvironment{dgroup*}`

*

```

8   \AddToHook{env/dmath/begin}{\tagpdfparaOff}
9   \AddToHook{env/dgroup*/begin}{\tagpdfparaOff}
10 }

```

2.3 cases

Force loading of amsmath before cases.

```

11 \AddToHook{package/cases/before}{\RequirePackage{amsmath}}
12 \AddToHook{package/cases/after}{
13   \RegisterMathEnvironment{subnumcases}
14 }

```

2.4 bm

Similar to the amsbsy code in latex-lab-amsmath for `\pmb` we need to mark up copies as artifact:

```

15 \ExplSyntaxOn
16 \AddToHook{package/bm/after}
17 {
18   \def\bm@pmb@#1#2#3{ {%
19     \hbox_set:Nn\l__math_tmpa_box{${m@th#1#3$}%
20     \dimen@#2\wd\tw@
21     \rlap{\box_use:N\l__math_tmpa_box}%
22     \tag_mc_end:\tag_mc_begin:n{artifact}
23     \tag_mc_reset_box:N\l__math_tmpa_box
24     \kern\dimen@
25     \raise1.5\dimen@\rlap{\box_use:N\l__math_tmpa_box}%
26     \kern\dimen@
27     \box_use_drop:N\l__math_tmpa_box
28     \tag_mc_end:\tag_mc_begin:n}%
29   }}
30 }
31 \ExplSyntaxOff

```

2.5 amsmath timing

These packages error or lose their function if loaded before amsmath.

```

32 \AddToHook{package/accents/before}{\RequirePackage{amsmath}}
33 \AddToHook{package/cleveref/before}{\RequirePackage{amsmath}}
34 \AddToHook{package/esint/before}{\RequirePackage{amsmath}}
35 \AddToHook{package/grmath/before}{\RequirePackage{amsmath}}
36 \AddToHook{package/mathabx/before}{\RequirePackage{amsmath}}
37 \AddToHook{package/wasysym/before}{\RequirePackage{amsmath}}
38 </kernel>

```

2.6 Wrapper files for testphase key

Index

The *italic* numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A		P	
<code>\AddToHook</code>	5, 8, 9, 11, 12, 16, 32, 33, 34, 35, 36, 37	<code>\pmb</code>	2
		<code>\ProvidesFile</code>	3
B		R	
box commands:		<code>\raise</code>	25
<code>\box_use:N</code>	21, 25	<code>\RegisterMathEnvironment</code>	6, 7, 13
<code>\box_use_drop:N</code>	27	<code>\RequirePackage</code>	11, 32, 33, 34, 35, 36, 37
box internal commands:		<code>\rlap</code>	21, 25
<code>\l_math_tmpa_box</code>	19, 21, 23, 25, 27		
D		T	
<code>\def</code>	18	tag commands:	
		<code>\tag_mc_begin:n</code>	22, 28
		<code>\tag_mc_end:</code>	22, 28
		<code>\tag_mc_reset_box:N</code>	23
E		<code>\tagpdfparaOff</code>	8, 9
<code>\ExplSyntaxOff</code>	31	TeX and L ^A T _E X 2 _ε commands:	
<code>\ExplSyntaxOn</code>	15	<code>\bm@pmb@@</code>	18
		<code>\dimen@</code>	20, 24, 25, 26
H		<code>\m@th</code>	19
hbox commands:		<code>\tw@</code>	20
<code>\hbox_set:Nn</code>	19		
K		W	
<code>\kern</code>	24, 26	<code>\wd</code>	20